



CONVERS MIC

Vertically retractable monitor with Dual-Microphone lift



CONVERS



Applications

Banking
Council
Parliament
University
Legal
Control Room

ELEMENT ONE Multimedia GmbH
Zum Murgdamm 5
D-76456 Kuppenheim
Germany
fon +49 (0) 7222 96654-0
fax +49 (0) 7222 96654-29
www.elementonescreens.com
info@elementonescreens.com

CONVERS MIC

Vertically retractable monitor with Dual-Microphone lift



CONVERS



„visulutionary“

[ˈvɪʒuˈluːʒənəri] ADJ:

describes the feeling and impression
you get when you use unique integrated
monitor solutions from ELEMENT ONE™.

**NEW
2015**

CONVERS MIC

Vertically retractable monitor with Dual-Microphone lift



„What is CONVERS?“

CONVERS MIC is the best of both worlds, video and audio. An elegant integrated monitor solution in conjunction with two retractable synchronous gooseneck microphones. The 17.3-inch full HD monitor moves virtually silently our famous CONVERS-style in a compact aluminum body. Disappearing quietly and discreetly by pressing a button or by remote control, the microphones move in tandem into their precision moulded receivers. A typical ELEMENT ONE solution: Uniquely designed, yet perfect for the needs of interior design, by discrete and compact integration within table and space.

A design first & fully customisable.
Compact & easy to bring into room design.

MADE IN GERMANY.
More than 15 years know-how in monitor-design.

Warranty 5 years mechanics,
2 years electric and electronic,
10 years spare part availability.

Sleek. Silent. Svelte.
Handcrafted & tested to ensure the highest standards.
Reliable partner with solid repeat business across diverse client fields. Global references and project experiences.

GENERAL SPECIFICATIONS

Funktionalität	Furniture integratable 17.3" HD monitor system with electronic movement mechanism-synchronised lifting of the display and right/left microphone holders, automatic display inclination ~ 15° vertical movement. Control via buttons on the unit or remote control interface. Separate electromotive adjustment (second motor); both programmable by the user and individually controlled, programmable tilt angle.
Motor & Mechanics	12 V virtually noiseless (< 40 dB) stepper motor for monitor movement, with precise & simultaneous drive e.g. to control multiple monitors; maintenance free
Material	Monitor - Aluminium silver anodized & 3 mm protective antireflective glass Trim - Black Acrylic glass decorative inlay Chassis & Cartouche - Brushed high-grade steel, Aluminum & POM
Display	3 mm Anti Reflective Glass
Dimensions	620 x 100 x 587 mm
Mass	17,4 kg
Inclination	15° (only with "Tilt" model)
Height (lifted)	322 mm at 105°
Monitor	Full HD 17.3" LED TFT HDCP compliant Active Matrix Widescreen Format
Brightness	400 cd/m ²
Contrast Ratio	600:1
Resolution	1920 x 1080 – Full HD (16:9), 16.7M Colors
Pixel Size	0.1989 x 0.1989 mm

Viewing Angle	Horizontal 160°/Vertical 140°
Viewing Area	381.888 (h) x 214.812 (v) mm
LED Lifetime	up to 50.000 hrs.
Video Interface	HDMI, VGA Optional
Remote Control	TCP/IP on-board via RJ45 interface 9-PIN d-sub serial interface for remote control, adjustment of motion parameter, firmware update (E1 cable and software required)
Power Consumption	15 W
Certificates	TüV, CE, FCC
Warranty	5 years extendable (optional, surcharge) spare part availability 10 years

SCOPE OF SUPPLY

Power adapter - Input: 100-240V~, 50/60Hz. 1.5A;
Output: 12V 5.A 60W MAX

(cable length: DC ~140cm; AC ~ 1,5m)

2 x 5 Pole XLR Audio Jacks
2 x Buttons for table mounting - Microphone Control)

AVAILABLE OPTIONS

Custom color - Anodization or powder coating
Custom color and -material decorative trim
Print customized logo
Multitouch overlay
USB / XLR / Phono / Video socket integrated in the mounting frame
Conference Microphone
Double Full HD Camera

CONVERS MIC

Vertically retractable monitor with Dual-Microphone lift

