



„Eye-Catcher“

The big and comfortable **VERSIS FLEX 220/75** is always at your disposal, when you need it: Folding out of the table surface, stepless adjustable and whisper-silent. At the push of a button.

The viewing area of the monitor is always visible, in opened or closed position. Available with or without touch screen. **Easy to install and easy to control.** Intelligent and robust.

No matter what the environment, the **VERSIS FLEX 220/75** is highly adaptable. Hinged at the front, the display can be raised to user defined heights for individual ease.

Made for Communication
Made in Germany
Made by ELEMENT ONE

VERSIS FLEX 220/75




„Always visible“

Perfect for Video Conferencing applications as well as compact info-terminals, lecterns as well as lounge tables. City Councils, Hotels, Universities, Banks ...

Features

- Slim monitor housing made of silver anodised aluminum
- 3mm tempered & anti-reflective protective cover glass
- Low installation depth ensures sufficient knee / legroom under the table
- LightWeight, LowNoise, LowEnergyDesign
- HDMI HDCP compliant
- FullHD resolution
- 5 years limited warranty
- Stepper motor 12V & precise mechanics
- Electronic clamping protection plus mechanical protection in case of incorrect operation
- Optionally available with a variety of additional designs & functions, such as camera, conference components, touch screen, connecting box, custom color ...



Features

VER SIS FLEX 220/75




Product Specification



Art.No.	107-220	Screen size:	21.5" (16:9)
Type	VERSIS 220/75 FLEX FullHD	Resolution:	1920 x 1080 - Full HD, 16,7M colors
Function	21.5" Monitor System integratable into furniture; Lift mechanism to extend / retract monitor. The front of the monitor is visible in the rest position / retracted position. Motion is steplessly controllable at the push of a button on the device or via the remote control interface. Control via push-button on the device or via remote control interfaces (TCP / IP or dry contact); Low noise <40dB; two 12V stepper motors with precise synchronization - for simultaneous extension when using multiple monitors. Monitor inclination 0-75°	Brightness:	400 cd/m2
Material	Monitor: Milled aluminum, anodized, 3 mm anti-reflective cover-glass Decorative Trim: Acrylic glass, black Mechanics: Anodized aluminum, stainless steel Mounting Frame Stainless steel, brushed	Contrast ratio:	(typ.) 1,000:1
		Viewing angle:	Horizontal 178° / vertical 178°
		Viewing area:	475.20 (H) x 267.30 (V) mm
		Pixel size:	0.1989 x 0.1989 mm
		LED Lifespan:	up to 50,000 hrs.
		Mass:	15 kg
		Dimensions:	585 x 440 x 86/64 mm (WxLxD front / T rear); Monitor thickness: 25mm
		Power consumption:	typ. 15 Watt
		P. consumption Monitor:	OFF: 0.12 Watt, Sleep: 0.60 Watts, ON: 19 Watt
		Inclination angle:	0-75°
		Appearance h. Monitor:	360mm at 75°
		1x Stepper Motor:	Display Motion
		Video Interface:	HDMI, Displayport *, DVI **; HDCP compliant
		Remote Interface:	9-pin d-sub serial + RJ45/ TCP/IP for control and adjustment of motion parameter, also Firmware Update (E1-Cable & Software required)
		Scope of Supply:	Power adapter - Input: 100-240V AC, 50 / 60Hz. 1.5A; Output: 12V 60W MAX 5.A (Length DC ~ 140cm) Power Cord 1.5m

* optionally, additional Interface | ** optionally, instead of HDMI



Dimensions

We'd be delighted to offer our expertise in the planning and selection of the right solution for your needs. If required, we can send further technical drawings, detailed photographs, material samples and, of course, demo devices – perfect to handle and try out.

Simply call us on +49 (0)7222 96654-20

Or send us an e-mail at: info@element-one.de

ELEMENT ONE

Multimedia GmbH

Zum Murgdamm 5

76456 Kuppenheim

Germany

Fon: +49 (0) 7222 966 54 20

Mail: info@element-one.de

www.element-one.de