



# Dimensions



We'd be delighted to offer our expertise in the planning and selection of the right solution for your needs. If required, we can send further technical drawings, detailed photographs, material samples and, of course, demo devices – perfect to handle and try out.

**Simply call us on +49 (0)7222 96654-20**

**Or send us an e-mail at: [info@element-one.de](mailto:info@element-one.de)**

**ELEMENT ONE**

**Multimedia GmbH**

Zum Murgdamm 5

76456 Kuppenheim

Germany

Fon: +49 (0) 7222 966 54 20

Mail: [info@element-one.de](mailto:info@element-one.de)

[www.element-one.de](http://www.element-one.de)



### Slim & elegant

The **CONVIS 125/60** impresses with its clear, consistent, unique design. The wafer-thin monitor is milled from a single aluminium block. Equipped with a real glass front panel and the flat rear side it is only **8mm slim**.

The brilliant 12.5" FullHD monitor is installed on a solid base with 60° angle of inclination for ergonomic viewing.

Designed for applications where the **smallest dimensions and a low overall height** are required. The monitor is made to be used flexibly, for example in meeting rooms, conference rooms, entrance halls, sales rooms and plenary rooms. Plug and play.

Shapely and solid. This is what a compact monitor for multifunctional rooms must look like.

Unique.  
Made in Germany.  
Made by ELEMENT ONE.

# CONVIS 125/60



## VERSATILE & FLEXIBLE

With or without built-in conference technology – and available in many different anodized colors: CONVIS 125/60 matches your technological & optical demands.

- Ultra Thin BLADE Monitor Housing 8 mm
- 60° fixed Monitor inclination
- 2 mm Anti-reflective safety glass
- Compact Housing Dimensions
- Milled aluminum, brushed, silver anodized Monitor-Housing
- *Optionally* with LED illumination in the base of the device\*
- *Optionally* with integrated conference components - such as microphone, speaker, voting & selection buttons\*
- Passive Cooling without Ventilation Openings
- HDMI HDCP compliant; FullHD
- EMC + EMV protected
- Maintenance free
- 5 years limited warranty

\* on demand, for an additional charge



## FEATURES

# CONVIS 125/60



## TECHNICAL DATA

# Product Specification



<b>Art.No.</b>	450-125-60	<b>Screen size:</b>	12.5" (16:9)
<b>Type</b>	CONVIS 125/60	<b>Resolution:</b>	1920 x 1080 - Full HD, 262,144 colors
<b>Function</b>	Compact 12.5" Conference & Desktop Monitor with fixed 60° monitor inclination. 8mm thin BLADE display with flat rear side.	<b>Brightness:</b>	400 cd/m2
<b>Material</b>	Milled aluminum, silver anodized, 2 mm anti-reflective real glass   Base: Powdercoated steel, black, fine texture, matt (RAL9011); acrylic glass, transparent, satined	<b>Contrast:</b>	(typ.) 700:1
		<b>Viewing Angle:</b>	Horizontal 160° / vertical 160°
		<b>Response time:</b>	35ms (typ)
		<b>Viewing area:</b>	276.480(H) x 155.520(V)
		<b>Pixel pitch:</b>	0.144mm x 0.144mm (176ppi)
		<b>LED Life:</b>	up to 12,000 hours
		<b>Environment:</b>	0°-50°C
		<b>Mass:</b>	2.3 kg
		<b>Dimensions:</b>	380 x 149 x 118mm (LxWxD)
		<b>Power Consumption:</b>	typ. 7W (with LED illumination: 9W)
		<b>Inclination Angle:</b>	fix 60°
		<b>Video Interface:</b>	HDMI, Displayport
		<b>Warranty:</b>	5 years (limited, see warranty specification)
		<b>Scope of supply:</b>	Desktop Power Supply - Input: 100-240V AC, 50 / 60Hz. 1.5A; Output: 12V 60W MAX 5.A (Cable length DC ~ 140cm) Power cord 2.0m